

Message

From: Cullen, Raymond [cullen.raymond@epa.gov]
Sent: 1/17/2018 9:40:50 PM
To: Coleman, James [coleman.james@epa.gov]
Subject: RE: ArcelorMittal Indiana Harbor West (IN0063711/IN0000205) 2/9/17 inspection.

Alright, it looks like IDEM and EPA are still working on the AO language before sending it to ArcelorMittal (I meant AO, not APO in my earlier email). The most recent draft from IDEM was dated 12/27/17.

From: Cullen, Raymond
Sent: Wednesday, January 17, 2018 3:19 PM
To: Coleman, James <coleman.james@epa.gov>
Subject: RE: ArcelorMittal Indiana Harbor West (IN0063711/IN0000205) 2/9/17 inspection.

Hey James. I reached out to ORC and Tom Mendez since his group has taken over as the lead on this. I haven't seen anything since Aug, when EPA commented on a proposed IDEM APO to the facility. I'm not sure what became of that. I'll forward any more recent info to you whenever I receive it.

From: Coleman, James
Sent: Wednesday, January 17, 2018 2:57 PM
To: Cullen, Raymond <cullen.raymond@epa.gov>
Subject: ArcelorMittal Indiana Harbor West (IN0063711/IN0000205) 2/9/17 inspection.

Hi Ray,

The next steps for this case in sharepoint is awaiting State action.

There's a management call with IDEM tomorrow and Pat is interested in what exactly is the follow-up action for this case.

Any information you can provide would be greatly appreciated. Thanks

James Coleman, Information Management Specialist
U.S. EPA, Region 5
Water Enforcement and Compliance Assurance Branch (WC-15J)
77 West Jackson Blvd.
Chicago, IL 60604
312-886-0148